

SUBDUE® GR

Date: 8/3/2015
Replaces: 4/14/2015

1. PRODUCT IDENTIFICATION

Product identifier on label: **SUBDUE® GR**
Product No.: A9603A
Use: Granular Fungicide
Manufacturer: Syngenta Crop Protection, LLC
Post Office Box 18300
Greensboro NC 27419
Manufacturer Phone: 1-800-334-9481

Emergency Phone: 1-800-888-8372

2. HAZARDS IDENTIFICATION

Classifications: Inhalation: Category 3
Specific Target Organ Toxicity: Repeated Category 2
Specific Target Organ Toxicity: Respiratory Irritation Category 3
Carcinogenicity: Category 1A
Reproductive Toxicity: Category 1B
Signal Word (OSHA): Danger
Hazard Statements: Toxic if inhaled
May cause respiratory irritation
May cause cancer
May damage fertility or the unborn child
May cause damage to organs through prolonged or repeated exposure

Hazard Symbols:



Precautionary Statements: Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe dust.
Use only outdoors or in a well-ventilated area.
Wear protective gloves, protective clothing, eye protection.
If inhaled: Remove person to fresh air and keep comfortable for breathing.
If exposed or concerned: Get medical advice/attention.
Call a poison center, doctor or Syngenta if you feel unwell.
See Section 4 First Aid Measures.
Store locked up.

SUBDUE® GR

Date: 8/3/2015
Replaces: 4/14/2015

Dispose of contents and container in accordance with local regulations.

Other Hazard Statements: May form combustible dust concentrations in air.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Common Name	CAS Number	Concentration
Crystalline Silica, Quartz and Cristobalite	Crystalline Silica, Quartz and Cristobalite	14808-60-7	<10.0%
Attapulgite Clay	Attapulgite Clay	8031-18-3	Trade Secret
n-Methylpyrrolidone	n-Methylpyrrolidone	872-50-4	<5.0%
Other ingredients	Other ingredients	Trade Secret	<84.0%
(R,S)-2-[(2,6-dimethylphenyl)-methoxyacetyl-amino]-propionic acid methyl ester	Mefenoxam	70630-17-0 & 69516-34-3	1.0%

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

4. FIRST AID MEASURES

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

Ingestion: If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

Most important symptoms/effects:

Respiratory irritation

Indication of immediate medical attention and special treatment needed:

There is no specific antidote if this product is ingested.

Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO2 extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

SUBDUE® GR

Date: 8/3/2015

Replaces: 4/14/2015

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures:

Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions in Protective Equipment Section. Sweep up material and place in a compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

7. HANDLING AND STORAGE

Precautions for safe handling:

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities:

Store locked up.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Occupational Exposure Limits:

Chemical Name	OSHA PEL	ACGIH TLV	Other	Source
Crystalline Silica, Quartz and Cristobalite	10 mg/m ³ /(%SiO ₂ +2) (respirable dust)	0.025 mg/m ³ (respirable silica)	0.05 mg/m ³ (respirable dust)	NIOSH
Attapulgite Clay	Not Established	Not Established	2 mg/m ³ TWA	Manufacturer
n-Methylpyrrolidone	Not Established	Not Established	10 ppm TWA, Skin	AIHA
Other ingredients	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Mefenoxam	Not Established	Not Established	5 mg/m ³ TWA	Syngenta

Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

Individual protection measures:

Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Eye Contact:

Where eye contact is likely, use dust-proof chemical goggles.

SUBDUE® GR

Date: 8/3/2015

Replaces: 4/14/2015

Skin Contact:

Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, polyethylene, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear.

Inhalation:

A particulate filter respirator may be necessary until effective engineering controls are installed to comply with occupational exposure limits. Use NIOSH certified respirator with any N, R, P or HE filter. Use a self-contained breathing apparatus in cases of emergency spills, when exposure levels are unknown, or under any circumstances where air-purifying respirators may not provide adequate protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Reddish-brown granules

Odor: Sweet aromatic

Odor Threshold: Not Available

pH: 7 - 9 (1% solution in H₂O @ 77°F (25°C))

Melting point/freezing point: Not Available

Initial boiling point and boiling range: Not Applicable

Flash Point (Test Method): 203°F (Pensky-Martens CC)

Flammable Limits (% in Air): Not Available

Flammability: Not Applicable

Vapor Pressure: Mefenoxam 2.5 x 10⁻⁵ mmHg @ 77°F (25°C)

Vapor Density: Not Available

Relative Density: 38 lbs/ft³

Solubility (ies): Mefenoxam 26 g/l @ 77°F (25°C)

Partition coefficient: n-octanol/water: Not Available

Autoignition Temperature: 500°F

Decomposition Temperature: Not Available

Viscosity: Not Available

Other: None

10. STABILITY AND REACTIVITY

Reactivity: Not reactive.

Chemical stability: Stable under normal use and storage conditions.

Possibility of hazardous reactions: Will not occur.

Conditions to Avoid: None known.

Incompatible materials: None known.

Hazardous Decomposition Products: None known.

SUBDUE® GR

Date: 8/3/2015

Replaces: 4/14/2015

11. TOXICOLOGICAL INFORMATIONHealth effects information

Likely routes of exposure: Dermal, Inhalation

Symptoms of exposure: Respiratory irritation

Delayed, immediate and chronic effects of exposure: Possible carcinogenicity, Respiratory irritation

Numerical measures of toxicity (acute toxicity/irritation studies (finished product))

Ingestion:	Oral (LD50 Rabbit) :	> 5000 mg/kg body weight
Dermal:	Dermal (LD50 Rat) :	> 2000 mg/kg body weight
Inhalation:	Inhalation (LC50 Rat) :	0.776 mg/l air - 4 hours
Eye Contact:	Minimally Irritating (Rabbit)	
Skin Contact:	Slightly Irritating (Rabbit)	
Skin Sensitization:	Not a Sensitizer (Guinea Pig)	

Reproductive/Developmental Effects

Mefenoxam: None observed.

Chronic/Subchronic Toxicity Studies

Mefenoxam: Liver effects at high dose animal tests.

Carcinogenicity

Mefenoxam: None observed.

Chemical Name	NTP/IARC/OSHA Carcinogen
Crystalline Silica, Quartz and Cristobalite	IARC 1; ACGIH A2
Attapulgite Clay	IARC 2B
n-Methylpyrrolidone	No
Other ingredients	No
(R,S)-2-[(2,6-dimethylphenyl)-methoxyacetyl-amino]-propionic acid methyl ester	No

Other Toxicity Information

None

Toxicity of Other Components

Attapulgite Clay

Repeated and prolonged inhalation may cause delayed injury to lungs (silicosis). Exposure may result in shortness of breath, cough, and sputum production.

Crystalline Silica, Quartz and Cristobalite

Chronic inhalation exposure to crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. Experimental animals exposed to crystalline silica developed respiratory tract cancers.

SUBDUE® GR

Date: 8/3/2015

Replaces: 4/14/2015

Other ingredients

Not Applicable

n-Methylpyrrolidone

Harmful if absorbed through the skin. May cause respiratory tract irritation. Repeated or prolonged exposure may cause drying and cracking of the skin.
Possible developmental hazard.

Target Organs

Active Ingredients

Mefenoxam: Liver

Inert Ingredients

Attapulgate Clay: Respiratory tract

Crystalline Silica, Quartz and Cristobalite: Respiratory tract

Other ingredients: Not Applicable

n-Methylpyrrolidone: Eye, skin

12. ECOLOGICAL INFORMATION

Eco-Acute Toxicity

Mefenoxam:

Fish (Rainbow Trout) 96-hour LC50 > 121 ppm

Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 > 113 ppm

Bird (Bobwhite Quail) 14-day LD50 981 mg/kg

Environmental Fate

Mefenoxam:

The information presented here is for the active ingredient, mefenoxam.

Does not bioaccumulate. Not persistent in soil or water. Moderate mobility in soil. Mixes/sinks (after 24 h).

13. DISPOSAL CONSIDERATIONS

Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

14. TRANSPORT INFORMATION

DOT Classification

Ground Transport - NAFTA

Not regulated

Comments

Water Transport - International

Not regulated.

Air Transport

SUBDUE® GR

Date: 8/3/2015

Replaces: 4/14/2015

Not regulated.

15. REGULATORY INFORMATION

Pesticide Registration:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution: Causes moderate eye irritation. Harmful if inhaled or absorbed through skin. Avoid contact with skin, eyes, or clothing. Avoid breathing dust.

EPA Registration Number(s):

100-794

EPCRA SARA Title III Classification:

Section 311/312 Hazard Classes: Acute Health Hazard

Section 313 Toxic Chemicals: n-Methylpyrrolidone <5.0% (CAS No. 872-50-4)

CERCLA/SARA 304 Reportable Quantity (RQ):

None

RCRA Hazardous Waste Classification (40 CFR 261):

Not Applicable

TSCA Status:

Exempt from TSCA, subject to FIFRA

16. OTHER INFORMATIONNFPA Hazard Ratings

Health: 2

Flammability: 1

Instability: 0

HMIS Hazard Ratings

Health: 2*

Flammability: 1

Reactivity: 0

0	Minimal
1	Slight
2	Moderate
3	Serious
4	Extreme
*	Chronic

Syngenta Hazard Category: D

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 9/2/1997

Revision Date: 8/3/2015

Replaces: 4/14/2015

Section(s) Revised: 2, 4, 11, 16

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.

SUBDUE® GR

Date: 8/3/2015

Replaces: 4/14/2015
